

DELHI FANS
www.delhi-industries.com

INDEX

BLOWERS — CENTRIFUGAL — BACKWARD INCLINED 12-5 – 12-6
TOP HORIZONTAL DISCHARGE — CCW ROTATION 12-5

DUCT BLOWER ACCESSORIES
CHILLED WATER COOLING COILS (FOR 200 AND 9200 SERIES DUCT BLOWERS) 12-4
DUCT BLOWER INTAKE HOOD ASSEMBLY 12-4
FILTER SECTIONS — DUCT BLOWER — INSULATED 12-3
HOT WATER HEATING COILS (FOR 200 AND 9200 SERIES DUCT BLOWERS) 12-4

DOUBLE INLET BLOWERS
G SERIES — BELT DRIVE — BALL BEARINGS 12-2

DUCT BLOWERS
HEAVY DUTY — INSULATED — OUTDOOR USE 12-3
INSULATED — INDOOR USE 12-3
NON INSULATED — INDOOR USE 12-2

EXHAUSTERS
ROOF — BACK DRAFT DAMPER SUPPLIED LOOSE 12-5
SINGLE INLET — SINGLE WIDTH — CCW ROTATION 12-5

FANS — ROOFTOP
FRESH AIR INTAKE FANS WITH 1" FILTERS 12-4 – 12-5
SIDE INTAKE FRESH AIR SUPPLY FANS WITH 1" FILTERS 12-5

REPLACEMENT PARTS AND ACCESSORIES
MOTOR BRACKETS 12-6
MOTOR PLATFORMS 12-6

SPEED CONTROLLER 12-2

UTILITY BLOWERS DIRECT DRIVE — WITH MOTOR 12-2

Expert Service. Quality Products. Since 1960.

DOUBLE INLET BLOWERS

G SERIES — BELT DRIVE — BALL BEARINGS

ITEM #	MODEL	SHAFT DIA (")	CFM RATING	SHP WT/LBS
820704	G7	3/4	300 – 700	17
820706	G9-7	3/4	400 – 1000	21
820708	G9	3/4	600 – 1400	23
820710	G10-8	3/4	600 – 1400	25
820712	G10	3/4	800 – 1800	28
820714	G12-9	1	1200 – 2800	32
820718	G12	1	1200 – 3000	52
820720	G15-10	1	1600 – 4400	52
820722	G15	1	2000 – 4400	62
820724	G18	1	3000 – 8000	99



NOTE: Motor and drive package not included.

UTILITY BLOWERS DIRECT DRIVE — WITH MOTOR

ITEM #	MODEL	HP	SHP WT/LBS
820483	D503	1/100	4
820486	D506	1/12	14
820487	D507	1/8	26
820490	D530	1/30	9



D530/D506



D507

SPEED CONTROLLER

ITEM #	MODEL	DESCRIPTION	SHP WT/LBS
820494	3A157	3-Speed Switch for D507 Model Blowers	1



DUCT BLOWERS

NON INSULATED — INDOOR USE

ITEM #	MODEL	SHAFT DIA (")	CFM RATING	SHP WT/LBS
821207	207	3/4	300 – 1400	46
821209	209	3/4	600 – 1700	58
821210	210	3/4	800 – 1900	69
821212	212	3/4	1200 – 3400	89
821215	215	1	1800 – 4400	175
821218	218	1	3000 – 7600	205



NOTE: Motor and drive package not included. FILTER SECTIONS sold separately.

DUCT BLOWERS (cont'd)
INSULATED — INDOOR USE
SINGLE UNITS

ITEM #	MODEL	SHAFT DIA (")	CFM RATING	SHP WT/LBS
821227	207	3/4	300 – 1400	46
821229	209	3/4	600 – 1700	58
821230	210	3/4	800 – 1900	69
821232	212	3/4	1200 – 3400	89
821235	215	1	1800 – 4400	175
821238	218	1	3000 – 7600	205


TWIN UNITS

ITEM #	MODEL	SHAFT DIA (")	CFM RATING	SHP WT/LBS
821265	215-2	1	–	344

NOTE: Motor and drive package not included. FILTER SECTIONS sold separately.

HEAVY DUTY — INSULATED — OUTDOOR USE

ITEM #	MODEL	SHAFT DIA (")	CFM RATING	SHP WT/LBS
821809	9209*	3/4	600 – 1700	64
821810	9210*	3/4	800 – 1900	74
821812	9212*	1	1200 – 3400	175
821815	9215*	1	1800 – 4400	214
821818	9218*	1	3000 – 7600	369
821820	9220	1-7/16	6000 – 12000	574



*Indicates with motor bracket/plate/platform.

NOTE: Motor and drive packages are not included. FILTER SECTIONS sold separately.

DUCT BLOWER ACCESSORIES
FILTER SECTIONS — DUCT BLOWER — INSULATED

ITEM #	MODEL	FOR USE WITH:	SHP WT/LBS
820607	F207A	207	13
820609	F209A	209 and 9209	14
820610	F210A	210 and 9210	16
820612	F212A	212 and 9212	19
820615	F215A	215 and 9215	24
820618	F218A	218 and 9218	50
820620	F9220A	9220	70



NOTE: Two filter sections are required for twin duct blowers.

DUCT BLOWER ACCESSORIES (cont'd)
DUCT BLOWER INTAKE HOOD ASSEMBLY

ITEM #	MODEL	DESCRIPTION	SHP WT/LBS
821009	H9209	With 1" Aluminum Filters	18
821010	H9210	With 1" Aluminum Filters	20
821020	H9220	Less Filters	44



NOTE: Two single filter or hood sections are required for twin duct blowers. Use F9220A with H9220 if filtration is required.

HOT WATER HEATING COILS (FOR 200 AND 9200 SERIES DUCT BLOWERS)

ITEM #	MODEL	SIZE (LENGTH × HEIGHT)	SHP WT/LBS
820907	HC-07	17-3/4" × 15-3/8"	12
820909	HC-09	21" × 18"	16
820910	HC-10	22-1/4" × 20"	19
820912	HC-12	27" × 23"	25
820915	HC-15	32-1/2" × 26-3/4"	35



NOTE: HC Coil sections fit both 200 and 9200 duct blowers. Order two coils for twin blowers.

CHILLED WATER COOLING COILS (FOR 200 AND 9200 SERIES DUCT BLOWERS)

ITEM #	MODEL	SIZE (LENGTH × HEIGHT)	SHP WT/LBS
820457	CW-07	17-3/4" × 15-3/8"	24
820459	CW-09	21" × 18"	29
820460	CW-10	22-1/2" × 20"	33
820462	CW-12	27" × 23"	40
820465	CW-15	33-1/2" × 28"	64



NOTE: Order two coils for twin blowers.

FANS — ROOFTOP
FRESH AIR INTAKE FANS WITH 1" FILTERS

ITEM #	MODEL	SHAFT DIA (")	CFM RATING	SHP WT/LBS
821649	709	3/4	400 – 2400	105
821650	710	3/4	800 – 3000	135
821652	712	3/4	1200 – 4000	210
821655	715	1	1500 – 6000	215
821658	718	1	3000 – 9000	314



NOTE: Motor and drive packages are not included. Complete with washable filters and latches.

FANS — ROOFTOP (cont'd)

SIDE INTAKE FRESH AIR SUPPLY FANS WITH 1" FILTERS

ITEM #	MODEL	SHAFT DIA (")	CFM RATING	SHP WT/LBS
821079	SIS-9	3/4	400 – 2400	79
821080	SIS-10	3/4	800 – 2600	99
821082	SIS-12	3/4	1200 – 4000	131




NOTE: Motor and drive packages are not included. Complete with washable filters and latches.

EXHAUSTERS
SINGLE INLET — SINGLE WIDTH — CCW ROTATION

- Motor mounting bracket and hardware included with models 407 to 415
- Motor mounting bracket/plate assembly and hardware are supplied with model 418

ITEM #	MODEL	SHAFT DIA (")	CFM RATING	SHP WT/LBS
821407	407	3/4	200 – 1000	18
821409	409	3/4	300 – 2000	25
821410	410	3/4	500 – 2500	28
821412	412	3/4	750 – 3250	33
821415	415	1	1000 – 6500	61
821418	418	1	2000 – 6500	95
821420	420*	1-3/16	2000 – 10000	204



* Indicates motor platform not included. See above for selection and price.

NOTE: Motor and drive packages are not included.

ROOF — BACK DRAFT DAMPER SUPPLIED LOOSE

ITEM #	MODEL	SHAFT DIA (")	CFM RATING	SHP WT/LBS
821307	307	3/4	300 – 1400	52
821309	309	3/4	600 – 1700	72
821310	310	3/4	800 – 2000	100
821312	312	3/4	1200 – 3400	127
821315	315	1	1500 – 5000	181
821318	318	1	3000 – 7000	270



NOTE: Motor and drive package not included.

BLOWERS — CENTRIFUGAL — BACKWARD INCLINED
TOP HORIZONTAL DISCHARGE — CCW ROTATION

ITEM #	MODEL	SHAFT DIA (")	CFM RATING	SHP WT/LBS
820020	BI-10	3/4	300 – 2500	90
820022	BI-12	1	400 – 2800	157
820023	BI-13	1	600 – 3600	170
820025	BI-15	1	1300 – 4600	180



(cont'd on next page)

BLOWERS — CENTRIFUGAL — BACKWARD INCLINED (cont'd)

TOP HORIZONTAL DISCHARGE — CCW ROTATION (cont'd)

ITEM #	MODEL	SHAFT DIA ("")	CFM RATING	SHP WT/LBS
820026	BI-16	1-3/16	1000 – 5500	210
820028	BI-18	1-3/16	1500 – 7500	220
820030	BI-20	1-3/16	2000 – 9200	356
820034	BI-24	1-7/16	3000 – 13500	498
820037	BI-27	1-7/16	4000 – 16000	524



NOTE: Motor and drive packages are not included. CW rotation is available on request — P.O.A.

REPLACEMENT PARTS AND ACCESSORIES
MOTOR BRACKETS

ITEM #	MODEL	DESCRIPTION
822280	2180004	For G9 Double Inlet Blower
822282	2180005	For G10-8 Double Inlet Blower
822284	2180006	For G10 Double Inlet Blower
822286	6110001	For G12 Double Inlet Blower
822288	6110002	For G15 Double Inlet Blower
822290	6110003	For G18 Double Inlet Blower

MOTOR PLATFORMS

Powder coated partial assembly, for 900 Series.

ITEM #	MODEL	DESCRIPTION	HP	SHP WT/LBS
822803	9200003	For 920, 922, 920-18	1 – 15	38
822811	9200011	For 912, 915, 915-10, 918-13	1 – 15	31

